

Conference Call – March 23, 2007 OU- 04 and OU- 07 Tasks Coordinated with the Plainwell Impoundment Time Critical Removal Action Proposed Agenda Conference Call 866-299-3188, Passcode 3123538730

Objectives:

- To provide clarification and share information from the Plainwell Impoundment Time Critical Removal Action (TCRA) tasks as they relate to the CERCLA activities for Operable Units (OU) 04 (12th Street Landfill) and 07 (Plainwell Mill Site).
- 2. To begin discussion of Weyerhaeuser's compatible actions to address the possible impacts from the Plainwell Impoundment TCRA on OU-04 and OU-07.
- 3. To identify additional information needs, action items, communication mechanisms and next steps (as needed) to coordinate Weyerhaeuser's actions and schedules with the Plainwell Impoundment TCRA activities.

Approximate Duration	Agenda Item	
10 to 15 minutes	1. Introductions and Safety Moment	
45 to 60 minutes	2. Update on public meeting/City of Kalamazoo response to TCRA plans	
	Impact on technical approach	
•	■ Impact on schedule	
: .	 Overview of aspects of the Phase 1 Time Critical Removal Action tasks applicable to OU-04 and OU-07 	
:	Mobilization and staging areas	
	 Construction and use of the Phase I cofferdam and the water controstructure 	1 ·
	 Cofferdam 	:
	 Construction details 	٠
	 Timing of installation and removal 	
	 Water Control Structure and Gabions 	
)	 Overview of construction steps 	÷
	 Impact on MDNR property 	
	 Timing of installation and removal 	
	 Temporary erosion control measures along 12th Street Landfi MDNR property 	ll and
	■ Removal Action 1 (across from the Plainwell Mill)	, .
•	 Confirm basis for no sediment removal 	
	 Summarize basis for bank excavation activities (residential ar concentration) 	nd/or
: -	 Summarize basis for bank configuration and vegetation 	•
• .	 Monitoring and operational control activities (contingency approach 	nes)

Approximate Duration	Agenda Item		
	■ Current Schedule		
	Other issues of concern		
·	■ Public comments to consider		
	 Questions and discussion 		
45 to 60 minutes	4. Information Sharing		
	Overview of Weyerhaeuser technical questions and Arcadis responses		
	■ Initial discussion of various issues being considered by Weyerhaeuser		
	- 12th Street Landfill erosion control		
	12th Street Landfill powerhouse channel residuals		
	■ Technical compatibility of Weyerhaeuser options to the TCRA		
	 Schedule compatibility of Weyerhaeuser options to the TCRA 		
	 Questions and discussion 		
15 to 30 minutes	5. Next Steps		
	■ Information needs		
	■ Action items		
	■ Communication approach		
	Follow-up activities on related topics		